




## **CLEAN FACTS ABOUT THE STARHAZER II**

The new stylish STARHAZER II has by far the longest lasting haze effects which are completely safe for people, children, and animals to breathe. There is no odor with STARHAZER II haze. One tiny ½ ounce of fluid per hour of constant operation testifies to the low amount of haze fluid being used to create such long lasting (3-4 hours) haze effects, compared to smokers using a much more fluid and disappearing much faster.



Now the newest model of Starhazer II has DMX on board, with in/out 5 pin XLR connectors as well as a switch to only use the power button for full control. This switch, called “Direct” gives you the ability to operate the unit without the use of any remote controls. Also, the remote control is now 3 pin XLR with in/out connectors for daisy-chain operation.

A big feature of the newest STARHAZER II is the extra insulation for absolutely quiet operation of this unit. This unit runs quieter than the original STARHAZER.



## EXTRA QUIET INSULATION

Extra quiet insulation make this quieter than inside of an operational roadcase. New shock absorption feet relieve the unit from vibration from the compressor and make this one of the quietest operational units on the market.



## DOUBLE DIRECTIONAL OUTPUT

Another big feature is the higher output. Because lights and lasers look best when haze is evenly distributed throughout the room, two high powered fans, increased the distance of hazing, plus reduced the particles to create more haze that lasts longer and is much cleaner. With double output vanes, you now have two levels of distance and spread of the haze output from the machine.

In just 3 months, a STARHAZER II owner, using High Performance Fluid (formerly called Diffusion Fluid) can regain the cost of this machine through lower costs of operation...1/16 electricity, 1/60 fluid, and no breakdowns compared to smokers or hazers half the price when used daily.

California Occupational Safety and Health Association tested this haze fluid to determine that "people working for 40 hours a week for 50 years would not suffer any adverse health effects". This is due to: A) the very low amount of fog fluid being used, B) the highest grade medicinal mineral oil being used, C) absolutely no heating element to create the irritation usually associated with fogging machines.

Contact your local dealer for further information about this wonderful machine. They are going out around the world and the response is just thrilling. See it in person. Try our demo product program and see for yourself. See our website at [www.citcfx.com](http://www.citcfx.com). In stock and going fast so call for your order today at 888-786-2482 or email [Jason@citcfx.com](mailto:Jason@citcfx.com)

Exact specifications for the STARHAZER II

## 7. Technical Data

STARHAZER II™ Technical Data P/N 100033 (230V P/N 100038)	
Type of Haze	Odorless, even, transparent, long-lasting High Performance Fluid P/N 150660
Weight	54 lb (24.5 kg)
Size	24½" x 12" x 12½" (62.2 cm x 30.5 cm x 31.8 cm)
Shipping Weight	57 lb (25.9 kg)
Shipping Box Size	23" x 14" x 15" (58.4 cm x 35.6 cm x 38.1 cm)
DMX	DMX on board 5 pin XLR
Fluid	CITC's High-Performance Fluid (oil-based) P/N 150660, gallons (3.8 liter), 5-gal. cubitainer (19 liter) & 55-gal. (208 liter) drum
Fluid Consumption	1/2 oz (15 ml) per 1 hour or 1 qt (0.95 liter) per 32 hours
Output	70,000 cubic feet/hour (21,336 meters/hour)
Warm Up Time	None
Continuous Fog	Can run continuously – best with cycle timer
Duration	20 minutes of haze lasts 2 - 3 hours
Electrical Supply	120 VAC, 60 Hz or 230 VAC, 50 Hz
Fuse	120VAC: 8A – 250 V, 5x20 mm 230VAC: 5A – 250V, 5x20 mm
Limited Warranty	Five year limited warranty on tank and compressor, 90 days on electrical components
Remote Control	On/off, cycle timer 25' 3 pin XLR
Added Feature	Direct/Manual operation
Rev. 7/22/05	